




MULTILAYER CERAMIC CHIP CAPACITORS -HIGH VOLTAGE

0402

RoHs Compliant

SIZE			100V~300V
(L)	LENGHT	mm	1.01 ± 0.13
(W)	WIDTH	mm	0.51 ± 0.13
(T)	THICKNESS	mm	0.58 Max
(P)	TERMINATION	mm	0.25 ± 0.13



VOLTAGE			100					200					250					
Capacitance	CODE		COG	X5R	X7R	Z5U	Y5V	COG	X5R	X7R	Z5U	Y5V	COG	X5R	X7R	Z5U	Y5V	
CAP 0.10	R10																	
(pF) 0.12	R12																	
0.15	R15																	
0.18	R18																	
0.22	R22																	
0.27	R27																	
0.33	R33																	
0.38	R38																	
0.47	R47																	
0.50	R50																	
0.56	R56																	
0.68	R68																	
0.82	R82																	
1.0	1R0																	
1.2	1R2																	
1.5	1R5																	
1.8	1R8																	
2.2	2R2																	
2.7	2R7																	
3.3	3R3																	
3.9	3R9																	
4.7	4R7																	
5.6	5R6																	
6.8	6R8																	
8.2	8R2																	
10	100																	
12	120																	
15	150																	
18	180																	
22	220																	
27	270																	
33	330																	
39	390																	
47	470																	
56	560																	
68	680																	
82	820																	
100	101																	
120	121																	
150	151																	
180	181																	
220	221																	
270	271																	
330	331																	
390	391																	
470	471																	
560	561																	
680	681																	
820	821																	
1000	102																	
1200	122																	
1500	152																	
1800	182																	
2200	222																	
2700	272																	
3300	332																	
3900	392																	
4700	472																	
5600	562																	
6800	682																	
8200	822																	

Continues on next page...

MULTILAYER CERAMIC CHIP CAPACITORS -HIGH VOLTAGE

VOLTAGE			100					200					250					
Capacitance	CODE		COG	X5R	X7R	Z5U	Y5V	COG	X5R	X7R	Z5U	Y5V	COG	X5R	X7R	Z5U	Y5V	
CAP 0.010	103																	
(µF) 0.012	123																	
0.015	153																	
0.018	183																	
0.022	223																	
0.027	273																	
0.033	333																	
0.039	393																	
0.047	473																	
0.056	563																	
0.068	683																	
0.082	823																	
0.100	104																	
0.120	124																	
0.150	154																	
0.180	184																	
0.220	224																	
0.330	334																	
0.470	474																	
0.680	684																	
1.0	105																	
1.5	155																	

VOLTAGE		300				
Capacitance	CODE	COG	X5R	X7R	Z5U	Y5V
CAP 0.10	0R1					
(pF) 0.12	R12					
0.15	R15					
0.18	R18					
0.22	R22					
0.27	R27					
0.33	R33					
0.38	R38					
0.47	R47					
0.50	0R5					
0.56	R56					
0.68	R68					
0.82	R82					
1.0	1R0					
1.2	1R2					
1.5	1R5					
1.8	1R8					
2.2	2R2					
2.7	2R7					
3.3	3R3					
3.9	3R9					
4.7	4R7					
5.6	5R6					
6.8	6R8					
8.2	8R2					
10	100					
12	120					
15	150					
18	180					
22	220					
27	270					
33	330					
39	390					
47	470					
56	560					
68	680					
82	820					
100	101					
120	121					
150	151					
180	181					
220	221					
270	271					
330	331					
390	391					
470	471					
560	561					
680	681					
820	821					
1000	102					
1200	122					
1500	152					
1800	182					
2000	202					
2200	222					
2700	272					
3300	332					
3900	392					
4700	472					
5600	562					
6800	682					
8200	822					

Voltage over 300V are available upon request.

Contact us for more information.